Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	96194	(("709"/("203,217,219,246").ccls.) ("715"/("788,790,800,808").ccls.)) and @ad<"20020109"	US-PGPUB; USPAT	OR	ON	2006/10/24 20:15
L4	24	3 and ((unused clear empty blank white available) near5 (area region portion frame space)) and ((reflow\$3 rearrang\$3 re-flow\$3 re-arrang\$3 resiz\$3 scal\$3) near6 ((primary web) adj (page document content))) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 20:17
S1	1711	(determin\$3 near10 (available white blank) adj2 (space))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:00
S2	7	(determin\$3 near10 (available white blank) adj2 (space)) same (reflow\$3 rearrang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:05
S3		(determin\$3 near10 (available white blank background) adj2 (space)) and (reflow\$3 rearrang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:04
S4	95	((identify\$3 determin\$3) near10 (available white blank background) adj2 (space)) and (reflow\$3 rearrang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:04
S5	61	S4 and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/18 09:41

S6	. 20	(banner adverti\$5) near5 persistent\$2 near10 (display\$3 render\$3) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR · .	ON .	2006/10/18 11:17
S7	18	(banner adverti\$5) near10 (display\$3 render\$3) near20 ((white empty blank available) adj (space)) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:09
S8	. 36	(display\$3 render\$3) near20 ((white empty blank available background) near3 (space near5 ((web adj page) document))) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 16:16
S9	0	(display\$3 render\$3) near10 period\$5 near20 ((white empty blank available background) near3 (space near5 ((web adj page) document))) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 16:17
S10	0	(display\$3 render\$3) near10 (schedul\$3 period\$5) near20 ((white empty blank available background) near3 (space near5 ((web adj page) document))) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 16:18
S11	0	(display\$3 render\$3) near10 (schedul\$3 period\$5) same ((white empty blank available background) near3 (space near5 ((web adj page) document))) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/18 16:18
S12	2	(display\$3 render\$3) near10 (schedul\$3 period\$5) same ((white empty blank available background) same (space near5 ((web adj page) document))) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 16:27

S13	414	(display\$3 render\$3) near10 (ads adverti\$5) near6 ((time adj bas\$3) schedul\$3 period\$5) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 16:55
S14	148	(ads adverti\$5) near10 (time adj bas\$3) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 17:04
S15	43	S14 and (HTML web) adj page	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 19:13
S25	.11	(reflow\$3 re-arrang\$3 re-flow\$3 rearrang\$3 chang\$3 mov\$3 adjust\$3 resiz\$3 alter\$3) near10 ((web primary) near3 (content page document))near20 (insert\$3 embed\$4) near5 (ads adverti\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/18 21:13
S27	0	(reflow\$3 re-arrang\$3 re-flow\$3 rearrang\$3 chang\$3 mov\$3 adjust\$3 resiz\$3 alter\$3) same ((web primary) near3 (content page document))near20 (insert\$3 embed\$4) near5 (ads adverti\$5) same timeslice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:18
S28	1	(reflow\$3 re-arrang\$3 re-flow\$3 rearrang\$3 chang\$3 mov\$3 adjust\$3 resiz\$3 alter\$3) same ((web primary) near3 (content page document))near20 (insert\$3 embed\$4) near5 (ads adverti\$5) and timeslice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 21:15
S29	1	((web primary) near3 (content page document))near20 (insert\$3 embed\$4) near5 (ads adverti\$5) and timeslice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 21:15

0				1	
	((web primary) near3 (content page document)) same (ads adverti\$5) same timeslice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 21:16
0	((web primary) same (content page document)) same (ads adverti\$5) same timeslice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 21:16
0	(ads adverti\$5) same timeslice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/18 21:16
27	(ads adverti\$5) and timeslice	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 21:16
. 14	S33 and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 21:16
1340	(reflow\$3 re-arrang\$3 re-flow\$3 rearrang\$3 chang\$3 mov\$3 adjust\$3 resiz\$3 alter\$3) near20 (insert\$3 embed\$4 replac43 displac\$3 display\$	US-PGPUB; USPAT; USOCR; FPRS;	OR ·	ON	2006/10/19 14:19
	includ43) near5 (ads adverti\$5) and @ad<"20020109"	EPO; JPO; DERWENT; IBM_TDB			
19	(reflow\$3 re-arrang\$3 re-flow\$3 rearrang\$3 chang\$3 mov\$3 adjust\$3 resiz\$3 alter\$3) near6 ((web primary) adj3 (page content window file document)) near20 (insert\$3 embed\$4 replac\$43 displac\$3 display\$ includ\$43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2006/10/19 16:36
	0 27 14 1340	o ((web primary) same (content page document)) same (ads adverti\$5) same timeslice o (ads adverti\$5) same timeslice (ads adverti\$5) and timeslice (reflow\$3 re-arrang\$3 re-flow\$3 rearrang\$3 chang\$3 mov\$3 adjust\$3 resiz\$3 alter\$3) near20 (insert\$3 embed\$4 replac43 displac\$3 display\$ includ43) near5 (ads adverti\$5) and @ad<"20020109" (reflow\$3 re-arrang\$3 re-flow\$3 rearrang\$3 chang\$3 mov\$3 adjust\$3 resiz\$3 alter\$3) near6 ((web primary) adj3 (page content window file document)) near20 (insert\$3 embed\$4	same timeslice ((web primary) same (content page document)) same (ads adverti\$5) same timeslice ((web primary) same (content page document)) same (ads adverti\$5) same timeslice (ads adverti\$5) same timeslice (ads adverti\$5) same timeslice (ads adverti\$5) same timeslice (ads adverti\$5) and adverti\$6	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PG	same timeslice ((web primary) same (content page document)) same (ads adverti\$5) ((web primary) same (content page document)) same (ads adverti\$5) ((web primary) same (content page document)) same (ads adverti\$5) ((web primary) same (content page document)) same (ads adverti\$5) ((web primary) same (content page us-perpulse) ((web primary) same (ads adverti\$5) and timeslice ((web primary) same (ads adverti\$5) and us-perpulse) ((web primary) same (ads adverti\$5) ((web primary) same (ads

		LASI Search	,			
S37	1	("6185589").PN.	USPAT; USOCR	OR	OFF	2006/10/19 17:24
S38	6	(reflow\$3 rearrang\$3) same (request\$3 near6 space)	USPAT	OR	OFF	2006/10/19 18:03
S39	19	(reflow\$3 rearrang\$3) near10 (primary web) near3 (page document content)	USPAT	OR	OFF	2006/10/19 19:06
S40	16	S39 and @ad<"20020109"	USPAT	OR	OFF	2006/10/19 19:06
S41	14	(reflow\$3 rearrang\$3) same ((insufficient unused) near4 space)	USPAT	OR	OFF	2006/10/19 19:12
S43	12	S41 and @ad<"20020109"	USPAT	OR	OFF	2006/10/19 19:08
S44	10	((insufficient unused clear empty blank) near4 space) near20 ((web primary) adj2 (document page layout frame))	USPAT	OR ·	OFF	2006/10/19 19:14
S45	42	((insufficient unused clear empty blank) near4 space) near20 ((web primary) adj2 (document page layout frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 19:23
S46	24	S45 and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 19:14
S49	4	((unused clear empty blank white) near10 (area region portion frame space) near20 (document page layout screen windown frame)) same (reflow\$3 rearrang\$3 mov\$3 adjust\$3 alter\$3 modif\$5) and (primary adj document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 19:34
S52	2	(reflow\$3 same (primary adj content)) same (form\$3 near10 ((unused clear empty blank white) near10 (area region portion frame space)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 19:40
S53	37	(reflow\$3 same (form\$3 near10 (unused clear empty blank white) near10 (area region portion frame space)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON .	2006/10/19 19:39

				r		
S54	24	S53 and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 19:39
S56	155	form\$3 near10 ((unused clear empty blank white) near10 (area region portion frame space)) and (web adj (page document)) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/19 19:51
S57	36	(display\$3 render\$3) near10 ((unused clear empty blank white) near3(area region portion frame space)) same ((primary web) adj (page document content)) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/19 20:04
S58	8	((unused clear empty blank white) near3(area region portion frame space)) and ((reflow\$3 rearrang\$3 re-flow\$3 re-arrang\$3) near6 ((primary web) adj (page document content))) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 20:16
S60	1	("20030052923").PN.	US-PGPÜB; USPAT; USOCR	OR	OFF	2006/10/20 21:24
S61	60	DOM same (location area position) near20 document	USPAT	OR	OFF	2006/10/20 21:27
S62	55	S61 and @ad<"20020109"	USPAT	OR	OFF	2006/10/20 21:29
S63	1	(specif\$3 determin\$3 assign\$) near10 (location position area) near6 (element object) near20 ((document adj object adj model) DOM) and @ad<"20020109"	USPAT	OR	OFF	2006/10/20 21:39
S64	i	DOM near4 API same (position location area) near5 (view document page)	USPAT	OR ·	OFF	2006/10/20 22:15
S65	0	DOM same rectangle near5 (web adj page)	USPAT	OR	OFF	2006/10/20 22:16
S66	·35	DOM same location same (web adj page)	USPAT	OR	OFF	2006/10/20 22:16
S67	33	S66 and @ad<"20020109"	USPAT	OR ·	OFF	2006/10/20 22:30

S68	2	(determin\$3 specif\$5) near6 (display\$3 near4 area) same DOM and @ad<"20020109"	USPAT	OR	OFF	2006/10/20 22:35
S69	2	(display\$3 near4 area) same DOM and @ad<"20020109"	USPAT	OR	OFF	2006/10/20 22:48
S70	3	(determin\$5 specif\$5) near10 (position area location) near5 element same web adj page same DOM and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2006/10/20 23:03
S71	. 9	(stor\$3 sav\$3) near10 area near20 (element) same (web adj (page document)) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/20 23:10
S72	. 3	(display\$3 adj2 area) near10 ((data adj element) object) same DOM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 23:11
S73	2	(determin\$3 identif\$5) near10 (display\$3 adj2 area) near10 ((data adj element) object) and DOM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 23:12
S74	3	(determin\$3 identif\$5) near10 (display\$3 adj2 area) same ((data adj element) object) and DOM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 23:13
S75	14	(display\$3 adj2 area) same ((data adj element) object) and DOM and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR:	ON	2006/10/20 23:26
			DERWENT; IBM_TDB			

S76	1	(determin\$3 identif\$5 calculat\$3) near10 ((occupied display\$3) adj2 area) same ((data adj element) object) and DOM and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 23:49
S77	16	(viewer render\$3 browser) same (designation near6 database) and @ad<"20020109"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 23:52
S78	187	(overlay\$3 overlaid (pop adj up)) near15 ((predetermined specified scheduled) near4 (period time))	USPAT	OR	OFF	2006/10/24 15:18
S79	160	S78 and @ad<"20020109"	USPAT	OR	OFF	2006/10/24 15:19
S80	11	S79 and (web adj (page document))	USPAT	OR	OFF	2006/10/24 16:57
S81	21	(overlay\$3 overlaid superimpos\$3 (pop adj up)) near10 (period duration interval time) same (web adj (page document))	USPAT	OR	OFF	2006/10/24 20:08
S82	17	S81 and @ad<"20020109"	USPAT	OR	OFF	2006/10/24 16:58